ELSEVIER

Journal of Power Sources 53 (1995) 381

JOURNAL OF POWER SOURCES

Author Index of Volume 53

Ainley, J.R., 309
Albert, L., 53
Alzieu, J., 327
Appleby, A.J., 187

Bagshaw, N.E., 25
Bashtavelova, E., 175
Bray, M., 75
Bui, N., 163
Burghoff, H.-G., 343

Calasanzio, D., 143
Carpenter, M.K., 323
Carubelli, A., 289
Caselli, M., 143
Closset, B., 75
Cole, J.F., 239
Culpin, B., 127

Dabosi, F., 163
D'Alkaine, C.V., 289
Demidov, A., 303
Dietz, H., 359
Douady, J.P., 367
Douglas, J.D., 63
Dugast, A., 367
Duval, H., 351

El Ghachcham, A., 53

Fava, H.W., 289
Fossati, G., 367

Gagarinov, V., 229
Gagnol, P., 327
Galyen, R.L., 323
Garche, J., 85
Ghiotto, D., 143
Giess, H., 31

Haigh, N.P., 63
Hamilton, J.A., 215
Hasegawa, H., 137
Hibbins, S.G., 75
Hilger, J.P., 45, 53
Hollenkamp, A.F., 93
Hollingsworth, P.A., 63
Hoogestraat, G., 359
Horie, S., 137
Huynh, T.D., 63

Juergens, T., 201

Kanetsuki, K., 137
Kechmire, M., 335
Kéri, J., 297
Kiessling, R., 339
Kitchens, W.R., 263
Klebanov, E., 303
Kniveton, M.W., 149
Kwaśnik, J., 119

Laibach, S., 359
Lakeman, J.B., 99
Lakshmi, C.S., 63
Lam, L.T., 63, 215
Lambert, D.W.H., 263
Lenain, P., 335
Lim, O.V., 215

Manders, J., 63
May, G.J., 111
Merz, K.-D., 317
Milewski, J.D., 119
Mills, J., 339
Miraglio, R., 53
Morachevsky, A., 303

Nelson, R.F., 201
Newnham, R.H., 93

Osten, R.C., 263
Ozgun, H., 215

Paik, S.L., 283
Pascon, C., 367
Pavlov, D., 9
Pebere, N., 163
Precskó, J., 297
Prengaman, R.D., 207
Pukacka, T., 119

Rand, D.A.J., 63, 93, 215
Rasinkoski, A.D., 245
Rice, D.M., 63
Richter, G., 343

Sanhueza, A.C., 289
See, J.B., 63
Shirodker, R.P., 255
Simon, P., 163
Sivertsen, D.B., 293
Smaha, J.P., 335
Smimite, H., 327
Soldatenko, V., 229
Spiers, D.J., 245
Steinmetz, J., 53
Stevenson, J.M., 317
Szcześniak, B., 119

Takahashi, K., 137
Terzaghi, G., 283

Vaysgant, Z., 303
Vella, D.G., 215
Vogel, H.-J., 269
von Borstel, D., 359
Vu, L.H., 215

Wagner, R., 153
Wang, Z., 233
Weighall, M.J., 273
Wiesener, K., 359
Winsel, A., 175

Yasuda, H., 137

Elsevier Science S.A.

ELSEVIER

Journal of Power Sources 53 (1995) 383–386

JOURNAL OF POWER SOURCES

Subject Index of Volume 53

Active mass
corrosion of lead and lead alloys: influence of the active mass and of the polarization conditions, 85
Age-hardening
influence of bismuth on the age-hardening and corrosion behaviour of low-antimony lead alloys in lead/acid battery systems, 63
Agglomerate-of-spheres
paste structure and its influence on the agglomerate-of-spheres parameters of the PbO_2 electrode, 175
Alloys
lead alloys: past, present and future, 25
advances in the refining and alloying of low-bismuth lead, 75
Application
reducing the cost of maintaining valve-regulated lead/acid batteries in telecommunications applications, 149
Automobiles
computer model of the lead/acid starter battery in automobiles, 351
Automotive batteries
eight years of experience with valve-regulated batteries for automotive use, 137
production of automotive batteries in Russia and other members of the CIS: status, problems and prospects, 229
relation between energetic and utilization coefficients in the positive plates of automotive lead/acid batteries, 289
reliability of lead–calcium automotive batteries in practical operations, 343

Battery
lead alloys: past, present and future, 25
Battery energy-storage systems
battery energy-storage systems — an emerging market for lead/acid batteries, 239
Battery industry
developments in the market for lead/acid batteries in China, 233
environmental regulations: their impact on the battery and lead industries, 309
Battery management
development of an on-board charge and discharge management system for electric-vehicle batteries, 327
Battery model
a battery model for the monitoring of, and corrective action on, lead/acid electric-vehicle batteries, 339
Battery separators
battery separator design requirements and technology improvements for the modern lead/acid battery, 273
rubber separators for tomorrow: performance characteristics and selection guide, 283
Benzaldehyde derivatives
influence of substituted benzaldehydes and their derivatives as inhibitors for hydrogen evolution in lead/acid batteries, 359

Bismuth
influence of bismuth on the age-hardening and corrosion behaviour of low-antimony lead alloys in lead/acid battery systems, 63
advances in the refining and alloying of low-bismuth lead, 75

Calcium
the influence of calcium, tin and grid thickness on corrosion-induced grid growth, 31
Charging
a new high-rate, fast-charge lead/acid battery, 201
China
developments in the market for lead/acid batteries in China, 233
Chlorine
effect of chlorine-containing species on lead/acid battery posts, 93
Computer model
computer model of the lead/acid starter battery in automobiles, 351
Conductance testing
reducing the cost of maintaining valve-regulated lead/acid batteries in telecommunications applications, 149
Corrosion
the influence of calcium, tin and grid thickness on corrosion-induced grid growth, 31
passivation and corrosion phenomena on lead–calcium–tin alloys of lead/acid battery positive electrodes, 53
influence of bismuth on the age-hardening and corrosion behaviour of low-antimony lead alloys in lead/acid battery systems, 63
corrosion of lead and lead alloys: influence of the active mass and of the polarization conditions, 85
Costs
reducing the cost of maintaining valve-regulated lead/acid batteries in telecommunications applications, 149
Cycle life
a theory of the grid/positive active-mass (PAM) interface and possible methods to improve PAM utilization and cycle life of lead/acid batteries, 9

Deep cycling applications
charging of valve-regulated lead/acid batteries under deep cycling applications, 143
Design
battery separator design requirements and technology improvements for the modern lead/acid battery, 273
progress in the design and development of improved lead/acid batteries for electric buses and vans, 317
Discontinuous and continuous transformation
hardening process in ternary lead–antimony–tin alloys for battery grids, 45

Elsevier Science S.A.

Dual electrical architecture
optimized batteries for cars with dual electrical architecture, 367

Electric-vehicle batteries
a battery model for the monitoring of, and corrective action on, lead/acid electric-vehicle batteries, 339
Electric vehicles
progress in the design and development of improved lead/acid batteries for electric buses and vans, 317
AC Delco Systems' advanced valve-regulated lead/acid battery for electric vehicles, 323
development of an on-board charge and discharge management system for electric-vehicle batteries, 327
monitoring fleets of electric vehicles: optimizing operational use and maintenance, 335
Electrochemical compatibility
rubber separators for tomorrow: performance characteristics and selection guide, 283
Electrochemical energy
electrochemical energy – progress towards a cleaner future: lead/acid batteries and the competition, 187
Electron beam crosslinked rubber
rubber separators for tomorrow: performance characteristics and selection guide, 283
Energetic coefficient
relation between energetic and utilization coefficients in the positive plates of automotive lead/acid batteries, 289
Environment
a low-temperature technique for recycling lead/acid battery scrap without wastes and with improved environmental control, 303
environmental regulations: their impact on the battery and lead industries, 309

Failure analysis
reducing the cost of maintaining valve-regulated lead/acid batteries in telecommunications applications, 149
Failure modes
failure modes of valve-regulated lead/acid batteries in different applications, 153
Fast charging
development of an on-board charge and discharge management system for electric-vehicle batteries, 327
Float-charge
gas evolution and performance assessment of submarine lead/acid batteries, 99
Float operation
performance of valve-regulated lead/acid test cells for float operation using modified positive active materials, 119
Future
electrochemical energy – progress towards a cleaner future: lead/acid batteries and the competition, 187

Gas evolution
gas evolution and performance assessment of submarine lead/acid batteries, 99
Glass-microfibre separator
separator design for valve-regulated lead/acid batteries, 127
Grids
lead alloys: past, present and future, 25
wrought lead–calcium–tin alloys for tubular lead/acid battery grids, 207
Grid/PAM interface
a theory of the grid/positive active-mass (PAM) interface and possible methods to improve PAM utilization and cycle life of lead/acid batteries, 9
Grid thickness
the influence of calcium, tin and grid thickness on corrosion-induced grid growth, 31

Hydrogen evolution
influence of substituted benzaldehydes and their derivatives as inhibitors for hydrogen evolution in lead/acid batteries, 359

Impedance spectroscopy
in situ redox conductivity, XPS and impedance spectroscopy studies of passive layers formed on lead–tin alloys, 163
Inhibitors
influence of substituted benzaldehydes and their derivatives as inhibitors for hydrogen evolution in lead/acid batteries, 359
Interface
a theory of the grid/positive active-mass (PAM) interface and possible methods to improve PAM utilization and cycle life of lead/acid batteries, 9

Lead
lead alloys: past, present and future, 25
advances in the refining and alloying of low-bismuth lead, 75
corrosion of lead and lead alloys: influence of the active mass and of the polarization conditions, 85
Lead/acid batteries
a theory of the grid/positive active-mass (PAM) interface and possible methods to improve PAM utilization and cycle life of lead/acid batteries, 9
the influence of calcium, tin and grid thickness on corrosion-induced grid growth, 31
passivation and corrosion phenomena on lead–calcium–tin alloys of lead/acid battery positive electrodes, 53
influence of bismuth on the age-hardening and corrosion behaviour of low-antimony lead alloys in lead/acid battery systems, 63
gas evolution and performance assessment of submarine lead/acid batteries, 99
operational experience with valve-regulated lead/acid batteries, 111
eight years of experience with valve-regulated batteries for automotive use, 137
electrochemical energy – progress towards a cleaner future: lead/acid batteries and the competition, 187
a new high-rate, fast-charge lead/acid battery, 201
wrought lead–calcium–tin alloys for tubular lead/acid battery grids, 207
pulsed-current charging of lead/acid batteries – a possible means for overcoming premature capacity loss?, 215
developments in the market for lead/acid batteries in China, 233
battery energy-storage systems – an emerging market for lead/acid batteries, 239
predicting the service lifetime of lead/acid batteries in photovoltaic systems, 245
extreme low-maintenance, lead/acid battery for photovoltaic power-supply systems in remote, tropical areas, 255
battery separator design requirements and technology improvements for the modern lead/acid battery, 273
rubber separators for tomorrow: performance characteristics and selection guide, 283
relation between energetic and utilization coefficients in the positive plates of automotive lead/acid batteries, 289
single-point watering of lead/acid batteries, 293
progress in the design and development of improved lead/acid batteries for electric buses and vans, 317
AC Delco Systems' advanced valve-regulated lead/acid battery for electric vehicles, 323

development of an on-board charge and discharge management system for electric-vehicle batteries, 327
a battery model for the monitoring of, and corrective action on, lead/acid electric-vehicle batteries, 339
computer model of the lead/acid starter battery in automobiles, 351
influence of substituted benzaldehydes and their derivatives as inhibitors for hydrogen evolution in lead/acid batteries, 359
Lead/acid battery paste
vacuum- and air-cooled mixing of lead/acid battery paste: a comparison of the production results, 269
Lead/acid battery plates
advances in manufacturing systems for the production of pastes for lead/acid battery plates, 263
Lead/acid battery posts
effect of chlorine-containing species on lead/acid battery posts, 93
Lead/acid battery scrap
a low-temperature technique for recycling lead/acid battery scrap without wastes and with improved environmental control, 303
Lead/acid test cells
performance of valve-regulated lead/acid test cells for float operation using modified positive active materials, 119
Lead alloys
corrosion of lead and lead alloys: influence of the active mass and of the polarization conditions, 85
Lead–antimony alloys
influence of bismuth on the age-hardening and corrosion behaviour of low-antimony lead alloys in lead/acid battery systems, 63
Lead–antimony–tin alloys
hardening process in ternary lead–antimony–tin alloys for battery grids, 45
Lead–antimony–tin diagram
hardening process in ternary lead–antimony–tin alloys for battery grids, 45
Lead battery scrap
development and use of a new system for environmentally clean recycling of lead battery scrap, 297
Lead–calcium batteries
reliability of lead–calcium automotive batteries in practical operations, 343
Lead–calcium–tin alloys
passivation and corrosion phenomena on lead–calcium–tin alloys of lead/acid battery positive electrodes, 53
wrought lead–calcium–tin alloys for tubular lead/acid battery grids, 207
Lead dioxide electrode
paste structure and its influence on the agglomerate-of-spheres parameters of the PbO_2 electrode, 175
Lead hardening process
hardening process in ternary lead–antimony–tin alloys for battery grids, 45
Lead industry
environmental regulations: their impact on the battery and lead industries, 309
Lead–tin alloys
in situ redox conductivity, XPS and impedance spectroscopy studies of passive layers formed on lead–tin alloys, 163
Lifetime
predicting the service lifetime of lead/acid batteries in photovoltaic systems, 245

Maintenance
reducing the cost of maintaining valve-regulated lead/acid batteries in telecommunications applications, 149
development of an on-board charge and discharge management system for electric-vehicle batteries, 327
monitoring fleets of electric vehicles: optimizing operational use and maintenance, 335
Manufacturing systems
advances in manufacturing systems for the production of pastes for lead/acid battery plates, 263
Market
battery energy-storage systems – an emerging market for lead/acid batteries, 239
Microporous rubber separator
rubber separators for tomorrow: performance characteristics and selection guide, 283
Model
computer model of the lead/acid starter battery in automobiles, 351

Open-circuit
gas evolution and performance assessment of submarine lead/acid batteries, 99
Operational use
monitoring fleets of electric vehicles: optimizing operational use and maintenance, 335

Passivation
passivation and corrosion phenomena on lead–calcium–tin alloys of lead/acid battery positive electrodes, 53
Paste production
advances in manufacturing systems for the production of pastes for lead/acid battery plates, 263
Paste structure
paste structure and its influence on the agglomerate-of-spheres parameters of the PbO_2 electrode, 175
Permeability
separator design for valve-regulated lead/acid batteries, 127
Photovoltaic power-supply systems
extreme low-maintenance, lead/acid battery for photovoltaic power-supply systems in remote, tropical areas, 255
Photovoltaics
predicting the service lifetime of lead/acid batteries in photovoltaic systems, 245
Polarization conditions
corrosion of lead and lead alloys: influence of the active mass and of the polarization conditions, 85
Positive active mass
a theory of the grid/positive active-mass (PAM) interface and possible methods to improve PAM utilization and cycle life of lead/acid batteries, 9
Positive active materials
performance of valve-regulated lead/acid test cells for float operation using modified positive active materials, 119
Positive plates
relation between energetic and utilization coefficients in the positive plates of automotive lead/acid batteries, 289
Premature capacity loss
pulsed-current charging of lead/acid batteries – a possible means for overcoming premature capacity loss?, 215
Production
vacuum- and air-cooled mixing of lead/acid battery paste: a comparison of the production results, 269
Pulsed-current charging
pulsed-current charging of lead/acid batteries – a possible means for overcoming premature capacity loss?, 215

Rechargeable batteries
operational experience with valve-regulated lead/acid batteries, 111

Recovery
predicting the service lifetime of lead/acid batteries in photovoltaic systems, 245
Recycling
development and use of a new system for environmentally clean recycling of lead battery scrap, 297
a low-temperature technique for recycling lead/acid battery scrap without wastes and with improved environmental control, 303
Redox conductivity
in situ redox conductivity, XPS and impedance spectroscopy studies of passive layers formed on lead–tin alloys, 163
Refining
advances in the refining and alloying of low-bismuth lead, 75
Reliability
operational experience with valve-regulated lead/acid batteries, 111
reducing the cost of maintaining valve-regulated lead/acid batteries in telecommunications applications, 149
reliability of lead–calcium automotive batteries in practical operations, 343
Remote areas
extreme low-maintenance, lead/acid battery for photovoltaic power-supply systems in remote, tropical areas, 255
Russia
production of automotive batteries in Russia and other members of the CIS: status, problems and prospects, 229

Self-discharge
gas evolution and performance assessment of submarine lead/acid batteries, 99
Service batteries
optimized batteries for cars with dual electrical architecture, 367
Single-point watering
single-point watering of lead/acid batteries, 293
Solar
predicting the service lifetime of lead/acid batteries in photovoltaic systems, 245
Starter batteries
computer model of the lead/acid starter battery in automobiles, 351
optimized batteries for cars with dual electrical architecture, 367
Stratification
separator design for valve-regulated lead/acid batteries, 127
predicting the service lifetime of lead/acid batteries in photovoltaic systems, 245
Submarines
gas evolution and performance assessment of submarine lead/acid batteries, 99

Tin
the influence of calcium, tin and grid thickness on corrosion-induced grid growth, 31

Utilization coefficient
relation between energetic and utilization coefficients in the positive plates of automotive lead/acid batteries, 289

Vacuum mixing
vacuum- and air-cooled mixing of lead/acid battery paste: a comparison of the production results, 269
Valve-regulated cells
performance of valve-regulated lead/acid test cells for float operation using modified positive active materials, 119
Valve-regulated lead/acid batteries
operational experience with valve-regulated lead/acid batteries, 111
separator design for valve-regulated lead/acid batteries, 127
eight years of experience with valve-regulated batteries for automotive use, 137
charging of valve-regulated lead/acid batteries under deep cycling applications, 143
failure modes of valve-regulated lead/acid batteries in different applications, 153
AC Delco Systems' advanced valve-regulated lead/acid battery for electric vehicles, 323

Water loss
influence of substituted benzaldehydes and their derivatives as inhibitors for hydrogen evolution in lead/acid batteries, 359
Wetting
separator design for valve-regulated lead/acid batteries, 127

X-ray photoelectron spectroscopy
in situ redox conductivity, XPS and impedance spectroscopy studies of passive layers formed on lead–tin alloys, 163